

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	762	"327"/\$.ccls. and (generat\$ near (reset adj signal))	USPAT	OR	OFF	2007/05/24 08:58
L2	533	"327"/\$.ccls. and (generat\$ adj (reset adj signal))	USPAT	OR	OFF	2007/05/24 08:59
L3	0	"327"/\$.ccls. and (generat\$ adj (reset adj signal)) and (generat\$7 with (inter near3 reset))	USPAT	OR	OFF	2007/05/24 09:02
L4	1	(generat\$ adj (reset adj signal)) and (generat\$7 with (inter near3 reset))	USPAT	OR	OFF	2007/05/24 09:03
L5	1196	(generat\$ adj (reset adj signal)) and (integrated adj circuit)	USPAT	OR	OFF	2007/05/24 09:05
L6	25	(generat\$ adj (reset adj signal)) and (reset near driver)	USPAT	OR	OFF	2007/05/24 09:48
L7	0	(reset adj control) same (IC adj circuit)	USPAT	OR	OFF	2007/05/24 09:48
L8	0	(reset adj control) same (IC adj circuits)	USPAT	OR	ON	2007/05/24 09:48
L9	1	(reset near control\$5) same (IC adj circuits)	USPAT	OR	ON	2007/05/24 09:49
L10	16	(reset near signal) same (IC adj circuits)	USPAT	OR	ON	2007/05/24 09:49
L11	16	((reset adj control) same (integrat\$6 adj circuits))	USPAT	OR	OFF	2007/05/24 10:54
L12	0	10/622672	USPAT	OR	OFF	2007/05/24 09:54
L13	1	10/622672	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:03
L14	1	"6839570".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:05
L15	1160	(reset\$5 with (driver adj circuit))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:06
L16	220	(reset\$5 near2 (driver adj circuit))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:06
L17	73	(reset\$5 near (driver adj circuit))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:11
L18	3	(reset\$5 near (driver adj circuit)) and (integrated adj circuits)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:13

EAST Search History

L19	1	"5930527".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:11
L20	2	(local adj reset\$5) with (driver adj circuit)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:13
L21	1	(local adj reset\$5 adj signal) and (external adj reset adj signal)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:15
L22	16	generat\$5 with(local adj reset\$5 adj signal)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:17
L23	0	generat\$5 with(local adj reset\$5 adj signal) with driver	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:18
L24	0	generat\$5 with((inter near IC) adj reset\$5 adj signal) with driver	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:19
L25	199	(reset same driver) and (external adj reset) and (integrated adj circuit)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:20
L26	41	((reset same driver) same (external adj reset)) and (integrated adj circuit)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/24 10:20
L27	17537	(reset) same (processor)	USPAT	OR	OFF	2007/05/24 10:54
L28	9650	(reset) with (processor)	USPAT	OR	OFF	2007/05/24 10:54
L29	2035	(reset) near (processor)	USPAT	OR	OFF	2007/05/24 10:59
L30	374	(reset) near (driver)	USPAT	OR	OFF	2007/05/24 10:59
L31	3	"375"/\$.ccls. and ((reset) near (driver))	USPAT	OR	OFF	2007/05/24 11:03
L32	151	"375"/\$.ccls. and ((reset) same clock same (strobe))	USPAT	OR	OFF	2007/05/24 11:04
L33	0	"375"/\$.ccls. and ((reset) same clock same (strobe)) and (generat\$6 near2 (external adj reset))	USPAT	OR	OFF	2007/05/24 11:04
L34	2	((reset) same clock same (strobe)) and (generat\$6 near2 (external adj reset))	USPAT	OR	OFF	2007/05/24 11:04
L35	25	("20010019281" "4539489" "4558233" "4634904" "4797584" "4970408" "4984043" "5030845" "5243233" "5278458" "5463335" "5467039" "5534804" "5703804" "5767710" "5821787" "5936444" "5942925" "5946267" "6111441" "6204704" "6236249" "6288584" "6310485" "6362669").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/24 11:08

EAST Search History

S3	26	(integrated adj circuit) same (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 08:30
S4	0	(first adj integrated adj circuit) same (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 08:30
S5	0	(two adj integrated adj circuit) same (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 08:30
S6	1	(two adj integrated adj circuit) and (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 08:33
S7	0	(inter adj integrated adj circuit) and (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 08:34
S8	4	(plurality adj integrated adj circuit) and (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 09:04
S9	17	("20020046377" "20020174394" "20030016578" "4333142" "5222066" "5388104" "5475815" "5535164" "5617531" "5835502" "5974579" "5995731" "6085346" "6163490" "6209074" "6360342" "6446184").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 08:35
S10	1823	(integrated adj circuit) and (reset near control)	USPAT	OR	OFF	2006/12/14 08:36
S11	1500	(integrated adj circuit) and (reset adj control)	USPAT	OR	OFF	2006/12/14 08:36
S12	144	"327"/\$.ccls. and (integrated adj circuit) and (reset adj control)	USPAT	OR	OFF	2006/12/14 08:58
S13	85	"327"/\$.ccls. and (driver) and (reset adj control)	USPAT	OR	OFF	2006/12/14 09:02
S14	0	"327"/\$.ccls. and (integrate adj circuit adj domain) and (reset adj control)	USPAT	OR	OFF	2006/12/14 08:39
S15	1	"327"/\$.ccls. and (integrate adj circuit) and (reset adj control)	USPAT	OR	OFF	2006/12/14 08:39
S16	12	"327"/\$.ccls. and (driver and receiver) and (reset adj control)	USPAT	OR	OFF	2006/12/14 08:39
S17	1	"6292116".pn.	USPAT	OR	OFF	2006/12/14 08:43
S18	1	"6199135".pn.	USPAT	OR	OFF	2006/12/14 08:43
S19	7	"327"/\$.ccls. and (integrated adj circuit) and (generat\$6 near (reset adj control))	USPAT	OR	OFF	2006/12/14 08:59
S20	1	"375"/\$.ccls. and (integrated adj circuit) and (generat\$6 near (reset adj control))	USPAT	OR	OFF	2006/12/14 09:00
S21	0	"327"/\$.ccls. and (driver) and receiver and (generat\$6 near (reset adj control))	USPAT	OR	OFF	2006/12/14 09:03

EAST Search History

S22	10	(driver) and receiver and (generat\$6 near (reset adj control))	USPAT	OR	OFF	2006/12/14 09:03
S23	12	(clock adj domain) and (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 09:06
S24	0	(clock adj domain) and (generat\$8 near (reset adj control adj signal))	USPAT	OR	OFF	2006/12/14 09:07
S25	60	(clock) and (generat\$8 near (reset adj control adj signal))	USPAT	OR	OFF	2006/12/14 09:11
S26	3	"710"/\$.ccls. and (clock) and (generat\$8 near (reset adj control adj signal))	USPAT	OR	OFF	2006/12/14 09:12
S27	11	"327"/\$.ccls. and (clock) and (generat\$8 near (reset adj control adj signal))	USPAT	OR	OFF	2006/12/14 09:14
S28	0	"327"/\$.ccls. and (drviver and receiver and clock)	USPAT	OR	OFF	2006/12/14 09:14
S29	841	"327"/\$.ccls. and (driver and receiver and clock)	USPAT	OR	OFF	2006/12/14 09:14
S30	222	"327"/\$.ccls. and (driver same receiver same clock)	USPAT	OR	OFF	2006/12/14 09:16
S31	2	"327"/\$.ccls. and (driver same receiver same clock same (reset adj signal))	USPAT	OR	OFF	2006/12/14 09:17
S32	147	"327"/\$.ccls. and (driver same (reset adj signal))	USPAT	OR	OFF	2006/12/14 10:57
S33	5	(driver near generat\$6 near (reset adj signal))	USPAT	OR	OFF	2006/12/14 13:27
S34	1	"5479448".pn.	USPAT	OR	OFF	2006/12/14 13:40
S35	0	inter near2 (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 16:01
S36	0	inter with (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 16:01
S37	10	driver with (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 16:07
S38	3	driver with generat\$8 with (reset adj control adj signal)	USPAT	OR	OFF	2006/12/14 16:06
S39	0	(reset adj control adj signal) same (integrated adj circuit adj domain)	USPAT	OR	OFF	2006/12/14 16:31
S40	26	(reset adj control adj signal) same (integrated adj circuit)	USPAT	OR	OFF	2006/12/14 17:42
S41	2	"455"/\$.ccls. and (ADC with (low adj power))	USPAT	OR	OFF	2006/12/14 17:44
S42	4	"455"/\$.ccls. and (ADC with (power near sav\$8))	USPAT	OR	OFF	2006/12/14 17:45
S43	0	"455"/\$.ccls. and (ADC same (power near conserva\$8))	USPAT	OR	OFF	2006/12/14 17:45

EAST Search History

S44	0	"455"/\$.ccls. and (ADC same (power near saving\$8) same preamble)	USPAT	OR	OFF	2006/12/14 17:46
S45	0	"455"/\$.ccls. and (preamble same (separate adj path))	USPAT	OR	OFF	2006/12/14 17:46
S46	0	"455"/\$.ccls. and (preamble and (separate adj path))	USPAT	OR	OFF	2006/12/14 17:46
S47	119	"455"/\$.ccls. and (preamble and (power adj sav\$8))	USPAT	OR	OFF	2006/12/14 17:47
S48	20	"455"/\$.ccls. and (preamble same (power adj sav\$8))	USPAT	OR	OFF	2006/12/14 17:48
S49	0	"455"/\$.ccls. and ((dual near ADC) same (power adj sav\$8))	USPAT	OR	OFF	2006/12/14 17:53
S50	1	"6650624".pn.	USPAT	OR	OFF	2006/12/14 17:53
S51	69	modem with (reset adj signal)	USPAT	OR	OFF	2006/12/15 07:55
S52	227460	orthogonal adj variable adj spread	USPAT	OR	OFF	2006/12/15 07:55
S53	3	orthogonal adj variable adj spread	USPAT	OR	OFF	2006/12/21 15:04
S54	0	10/094848	USPAT	OR	OFF	2006/12/15 10:13
S55	0	"10094848"	USPAT	OR	OFF	2006/12/15 14:46
S56	0	10/621056	USPAT	OR	OFF	2006/12/15 14:46
S57	0	"10621056"	USPAT	OR	OFF	2006/12/15 14:47
S58	0	"20040013209"	USPAT	OR	OFF	2006/12/15 14:47
S59	1	"2004/0013209"	USPAT	OR	OFF	2006/12/15 14:47
S60	1	"6839570"	USPAT	OR	OFF	2006/12/21 15:03
S61	1	"6690719".pn.	USPAT	OR	OFF	2006/12/21 15:03
S62	11	375/222.ccls. and (internal adj reset)	USPAT	OR	OFF	2006/12/21 15:05
S63	1	"6839570".pn.	USPAT	OR	OFF	2007/05/22 17:13
S64	1	"5930527".pn.	USPAT	OR	OFF	2007/05/22 17:15
S65	0	10/469192	USPAT	OR	OFF	2007/05/22 17:15
S66	1	10/469192	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/22 17:15
S67	1	10/622672	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/05/22 17:15
S68	0	"327"/\$.ccls. and (integrat\$6 adj circuit adj domain)	USPAT	OR	OFF	2007/05/23 11:42
S69	16	"327"/\$.ccls. and ((reset adj control) same (integrat\$6 adj circuit))	USPAT	OR	OFF	2007/05/23 11:44
S71	163	((reset adj control) same (integrat\$6 adj circuits))	USPAT	OR	ON	2007/05/23 11:44

EAST Search History

S72	209	((reset adj control) same (integrat\$6 adj circuits))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/23 11:44
-----	-----	--	--------------------------------	----	----	------------------

Day : Thursday
Date: 5/24/2007


PALM INTRANET

Time: 11:31:44

Inventor Name Search Result

Your Search was:

Last Name = RADJASSAMY

First Name = RAJAKRISHNAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09617373	6310499	150	07/17/2000	Methods and apparatus for adjusting the deadtime between non-overlapping clock signals	RADJASSAMY, RAJAKRISHNAN
09620932	6331800	150	07/21/2000	Post-silicon methods for adjusting the rise/fall times of clock edges	RADJASSAMY, RAJAKRISHNAN
09938206	6931562	150	08/23/2001	SYSTEM AND METHOD FOR TRANSFERRING DATA FROM A HIGHER FREQUENCY CLOCK DOMAIN TO A LOWER FREQUENCY CLOCK DOMAIN	RADJASSAMY, RAJAKRISHNAN
09938210	6928574	150	08/23/2001	SYSTEM AND METHOD FOR TRANSFERRING DATA FROM A LOWER FREQUENCY CLOCK DOMAIN TO A HIGHER FREQUENCY CLOCK DOMAIN	RADJASSAMY, RAJAKRISHNAN
10005758	6407602	150	11/02/2001	POST-SILICON METHODS FOR ADJUSTING THE RISE/FALL TIMES OF CLOCK EDGES	RADJASSAMY, RAJAKRISHNAN
10376390	Not Issued	30	02/28/2003	Register-based de-skew system and method for a source synchronous receiver	RADJASSAMY, RAJAKRISHNAN
10376835	Not Issued	41	02/28/2003	System and method for establishing a known timing relationship between two clock signals	RADJASSAMY, RAJAKRISHNAN
10393192	Not Issued	161	03/20/2003	System and method for estimating power consumption for at least a portion of an	RADJASSAMY, RAJAKRISHNAN

				integrated circuit	
10622672	Not Issued	71	07/18/2003	Reset scheme for I/O pads in a source synchronous system	RADJASSAMY, RAJAKRISHNAN
11085693	7212424	150	03/21/2005	DOUBLE-HIGH DIMM WITH DUAL REGISTERS AND RELATED METHODS	RADJASSAMY, RAJAKRISHNAN
60469500	Not Issued	159	05/10/2003	Reset scheme in a synchronous system	RADJASSAMY, RAJAKRISHNAN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
RADJASSAMY	RAJAKRISHNAN

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)